

ORIGINAL

WLI
433572

FILE COPY

US EPA RECORDS CENTER REGION 5

Abstract

935356 ⁵³²²⁰²

Location of property _____

BAILING OR PUMPING TEST
(Specify one by circling)

Test Rate.....G.P.M. Duration of test.....hr

Drawdown 75 ft. Date July 17, 1972

Static level-depth to water 4.5' ft

Quality (clear, cloudy, taste, odor)

clear, good taste, no odor

Pump installed by.

SKETCH SHOWING LOCATION

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

Not responsive

Limetone

brown sand rock

Digitized by Google

התקן חשמלי

0001

ה'תקנ"א

$\frac{1}{2} \pi$

... 1947 ...

777

N.

Not responsive

Date July 22, 1952

Signed Gregory D. Johnson

*If additional space is needed to complete well log, use next consecutive numbered form

WELL LOG AND DRILLING REPORT

ORIGINAL

NO CARBON PAPER
NECESSARY—
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
65 S. Front St., Rm. 815 Phone (614) 469-2646
Columbus, Ohio 43215

WL2
No. 420801

County Carroll Township Brown Section of Township 1

Owner Not responsive Address Minerva, Ohio 44657

Location of property Not responsive

CONSTRUCTION DETAILS			BAILING OR PUMPING TEST (Specify one by circling)	
Casing diameter <u>5"</u>	Length of casing <u>160'</u>		Test Rate <u>22</u> G.P.M.	Duration of test <u>1</u>
Type of screen _____	Length of screen _____		Drawdown <u>36</u> ft.	Date <u>June 71 1971</u>
Type of pump _____			Static level-depth to water <u>XXX</u> <u>64</u>	
Capacity of pump _____			Quality (clear, cloudy, taste, odor) _____	
Depth of pump setting _____			<u>cloudy, good taste, no odor</u>	
Date of completion _____			Pump installed by _____	
WELL LOG*			SKETCH SHOWING LOCATION	
Formations Sandstone, shale, limestone, gravel and clay	From	To	Locate in reference to numbered State Highways, St. Intersections, County roads, etc.	
<u>sand and clay</u>	<u>0 Feet</u>	<u>160 Ft.</u>	<u>N.</u>	
<u>brown sandrock</u>	Not responsive		Not responsive	
<u>sandy gray shale</u>				
<u>gray shale</u>				
<u>coal</u>				
<u>clay</u>				
<u>sandy gray shale</u>				
<u>limestone</u>				
<u>gray shale</u>				
<u>coal</u>				
<u>clay</u>				
<u>sandrock</u>	Not responsive		Not responsive	
<u>black shale</u>				
<u>water @ 168'</u>	Not responsive		Not responsive	

Drilling Firm PALMER DRILLING, Inc. Date June 9, 1971

Address 4249 Beechwood Ave. N.E. Signed Carl Palmer

Paris, Ohio 44669 ran

*If additional space is needed to complete well log, use next consecutive numbered form

WELL LOG AND DRILLING REPORT

NO CARBON PAPER
NECESSARY -
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
Fountain Square
Columbus, Ohio 43224

WL3
624958

COUNTY Cass TOWNSHIP Harmon SECTION OF TOWNSHIP 11
OWNER Not responsive
LOCATION OF PROPERTY Not responsive

CONSTRUCTION DETAILS		BAILING OR PUMPING TEST (specify one by circling)	
Casing diameter <u>5 1/2" up</u>	Length of casing <u>44' 2"</u>	Test rate <u>30</u> gpm	Duration of test _____
Type of screen <u>0.25 SS</u>	Length of screen <u>3'</u>	Drawdown <u>15"</u> ft	Date <u>7-30-86</u>
Type of pump <u>Hand pump 1/2 HP sub.</u>		Static level (depth to water) <u>10</u>	
Capacity of pump <u>5 GPM</u>		Quality (clear, cloudy, taste, odor) <u>Air test: 21 gpg</u>	
Depth of pump setting <u>30'</u>		<u>1 ppm Fe 7.5 ph</u>	
Date of completion <u>Aug 22, 1986</u>		Pump installed by <u>Palmer Drilling, Inc.</u>	

WELL LOG*			SKETCH SHOWING LOCATION
Formations: sandstone, shale, limestone, gravel, clay	From	To	Locate in reference to numbered state highways, street intersections, county roads, etc.
<u>Brown Sand & Shale</u>	<u>Not responsive</u>		<div style="text-align: center;">N</div> <div style="text-align: center; font-size: 2em;">Not responsive</div> <div style="text-align: center;">W</div> <div style="text-align: center;">S</div>
<u>Sandy Clay</u>			
<u>Sand & Gravel Shale</u>			
<u>Water 426.44</u>			

DRILLING FIRM Palmer Drilling, Inc. DATE August 31 1986
ADDRESS P.O. Box 3633 SIGNED Harold Palmer

*If additional space is needed to complete well log, use next consecutive numbered form.

ORIGINAL COPY - ODNR, DIVISION OF WATER, FOUNTAIN SQ COLUMBUS OHIO 43224

WELL LOG AND DRILLING REPORT

ORIGI

NO CARBON PAPER
NECESSARY—
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
65 S. Front St., Rm. 815 Phone (614) 469-2646
Columbus, Ohio 43215

WL4
No. 394360

County Carroll Township Brown Section of Township 12

Owner Not responsive Address Not responsive

Location of property Not responsive

CONSTRUCTION DETAILS

BAILING OR PUMPING TEST
(Specify one by circling)

Casing diameter 6" Length of casing 33
Type of screen none Length of screen
Type of pump
Capacity of pump
Depth of pump setting
Date of completion
Test Rate 7 G.P.M. Duration of test 24
Drawdown 13 ft. Date 11-12
Static level-depth to water 55'
Quality (clear, cloudy, taste, odor)
Pump installed by

WELL LOG*

SKETCH SHOWING LOCATION

Formations Sandstone, shale, limestone, gravel and clay	From	To
<u>CLAY</u>	<u>Not responsive</u>	
<u>SANDSTONE</u>		
<u>SAND</u>		
<u>SANDSTONE</u>		
<u>SHALE & CLAY</u>		
<u>COAL</u>		
<u>SHALE</u>		
<u>COAL</u>		
<u>WATER IN SHALE</u>		

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

N.

W.

E.

Not responsive

S.

Drilling Firm Kohler Drilling
Address RD #2 Scio

Date 11-15-69
Signed J. L. Kohler

*If additional space is needed to complete well log, use next consecutive numbered form.

WELL LOG AND DRILLING REPORT

ORIGIN

NO CARBON PAPER
NECESSARY—
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
65 S. Front St., Rm. 815 Phone (614) 469-2646
Columbus, Ohio 43215

WL5
464201

County CARROLL Township BROWN Section of Township 13

Owner Not responsive

Address Not responsive

Location of property Not responsive

CONSTRUCTION DETAILS

Casing diameter 5" Length of casing 35'
Type of screen NONE Length of screen _____
Type of pump _____
Capacity of pump _____
Depth of pump setting _____
Date of completion _____

BAILING OR PUMPING TEST (Specify one by circling)

Test Rate 16 G.P.M. Duration of test 2 h
Drawdown _____ ft. Date 9-14-73
Static level-depth to water 82
Quality (clear, cloudy, taste, odor) OK
Pump installed by _____

WELL LOG*

Formations Sandstone, shale, limestone, gravel and clay	From	To
<u>Brown sh.</u>	<u>Not responsive</u>	
<u>Brown sandy sh.</u>		
<u>Gray sh.</u>		
<u>Brown sandy sh.</u>		
<u>Gray sandy sh.</u>		
<u>Dark gray sh.</u>		
<u>Gray sand</u>		
<u>Limestone</u>		
<u>Gray sh.</u>		
<u>Water at 140'</u>		

SKETCH SHOWING LOCATION

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

N.

Not responsive

W.

E.

Drilling Firm Speedy Well Drilling Date 9-14-73

Address 3141 ARROW RD.
CARROLLTON, OHIO

Signed Jack E. Speedy

*If additional space is needed to complete well log, use next consecutive numbered form.

WELL LOG AND DRILLING REPORT

ORIGINAL

NO CARBON PAPER
NECESSARY—
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
65 S. Front St., Rm. 815 Phone (614) 469-2646
Columbus, Ohio 43215

T 225
WL6
No. 411975

County Cassall Township North Section of Township 22

Owner Not responsive Address Not responsive

Location of property Not responsive

CONSTRUCTION DETAILS

Casing diameter 5 Length of casing 172
Type of screen _____ Length of screen _____
Type of pump _____
Capacity of pump _____
Depth of pump setting _____
Date of completion _____

BAILING OR PUMPING TEST
(Specify one by circling)

Test Rate 6 G.P.M. Duration of test 2 1/2 h
Drawdown _____ ft. Date April 3 1971
Static level-depth to water 150
Quality (clear, cloudy, taste, odor) OK
Pump installed by _____

WELL LOG*

Formations Sandstone, shale, limestone, gravel, and clay	From	To
<u>Sail</u>	<u>Not responsive</u>	
<u>Brown sand</u>		
<u>Sand/Gravel</u>		
<u>White sand</u>		
<u>Strat. Coal</u>		
<u>White shale</u>		
<u>Darker shale</u>		
<u>Sand shale</u>		
<u>Lat. 3 approx</u>		
<u>increased</u>		
<u>at 90 ft.</u>		

SKETCH SHOWING LOCATION

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

N.

Not responsive

S.

Drilling Firm Ben Speedy
Address RD 5 Chollerton

Date April 3 1971
Signed Ben B Speedy

*If additional space is needed to complete well log, use next consecutive numbered form.

WL7

County Sheridan Township East Section of Township

Owner

Location

Not responsive

CONSTRUCTION DETAILS

Casing diameter 5 Length of casing 29
Type of screen — Length of screen —
Type of pump —
Capacity of pump —
Depth of pump setting —
Date of completion 4-28-67

BAILING ~~OR PUMPING~~ TEST

Pumping Rate 25 G.P.M. Duration of test 6 h.
Drawdown 29 ft. Date 4-28-6
Static level-depth to water 56
Quality (clear, cloudy, taste, odor) Clear.
Pump installed by ---

WELL LOG*

[illegible]

SKETCH SHOWING LOCATION

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

N.

Not responsive

Drilling Firm

Ben B. Kaceln

Date

4-28-1967

Address

PAH 500000000

Signed

John B. Skunk

*If additional space is needed to complete well log, use next consecutive numbered form

LOCATED

109

48

WELL LOG AND DRILLING REPORT

ORIGIN

NO CARBON PAPER
NECESSARY -
SELF-TRANSCRIBING

State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Geological Survey
Fountain Square
Columbus, Ohio 43224 Phone (614) 466-5344

WL8
481066

COUNTY Stark TOWNSHIP Paris SECTION OF TOWNSHIP 33
OR LOT NUMBER

OWNER

LOCATION

Not responsive

CONSTRUCTION DETAILS

BAILING OR PUMPING TEST

(specify one by circling)

Casing diameter 5" Length of casing 19' 3"
Type of screen Wire Length of screen _____
Type of pump Electric 3/4" - 3/4"
Capacity of pump 5 GPM
Depth of pump setting 210'
Date of completion July 2 1975

Test rate 50 gpm Duration of test 2
Drawdown 146 ft Date June 26
Static level (depth to water) 70
Quality (clear, cloudy, taste, odor) Clear, good taste, No odor
119.7°C 1" RPM. Fr. Th. 2.5
Pump installed by John W. Dilling Inc.

WELL LOG*

SKETCH SHOWING LOCATION

Formations: sandstone, shale, limestone, gravel, clay	From	To
<u>Soft Brown Shale</u>	Not responsive	
<u>Gray Shale</u>		
<u>#6 Coal</u>		
<u>Clay</u>		
<u>Bk. + yellow S. Rock</u>		
<u>Dark G. Shale</u>		
<u>#5 Coal</u>		
<u>Clay</u>		
<u>Sandy Shale</u>		
<u>#4 L. shale</u>		
<u>Coal</u>		
<u>Clay</u>		
<u>Black Shale</u>		
<u>Gray Sandy Shale</u>		
<u>Sandstone</u>		
<u>Water @ 216-236</u>		

Locate in reference to numbered state highways, street intersections, county roads, etc.

N

W

Not responsive

DRILLING FIRM

DATE

ADDRESS

SIGNED

*If additional space is needed to complete well log, use next consecutive numbered form.

WELL LOG AND DRILLING REPORT

PLEASE USE PENCIL
OR TYPEWRITER**DO NOT USE INK.**State of Ohio
DEPARTMENT OF NATURAL RESOURCES
Division of Water
1562 W. First Avenue
Columbus, Ohio 43212WL9
No 36731County Franklin Township Paris Range 7E Section 76

Owner _____

Location of _____

Not responsive

CONSTRUCTION DETAILS

Casing diameter 6" Length of casing 32'
Type of screen _____ Length of screen _____
Type of pump _____
Capacity of pump _____
Depth of pump setting _____
Date of completion _____

BAILING OR PUMPING TEST

Pumping Rate 30 G.P.M. Duration of test _____
Drawdown 32 ft. Date September 20,
Static level-depth to water 58
Quality (clear, cloudy, taste, odor) _____
clear, good taste, no odor
Pump installed by _____

WELL LOG*

SKETCH SHOWING LOCATION

Formations
Sandstone, shale, limestone,
gravel and clay

From

To

Not responsive

Locate in reference to numbered
State Highways, St. Intersections, County roads, etc.

N.

brown shale

gray shale

brown & gray sandrock

coal

clay

gray sandrock

W.

water @ 89'

Not responsive

See reverse side for instructions

Drilling Firm PALMER DRILLING, Inc.Date September 22, 1967Address 4249 Beechwood Ave., N.E.
Paris, Ohio 44669Signed Carl Palmer
rap

*If additional space is needed to complete well log, use next consecutive numbered form.